Roland[®] DUAL TRIGGER PAD PDX-8 Owner's Manual




Thank you, and congratulations on your choice of the Roland PDX-8.

Before using the PDX-8, carefully read the sections entitled: "USING THE UNIT SAFELY" and "IMPORTANT NOTES" (p. 2; p. 3). These sections provide important information concerning the proper operation of the unit. Additionally, in order to feel assured that you have gained a good grasp of every feature provided by your new unit, this owner's manual should be read in its entirety. The manual should be saved and kept on hand as a convenient reference.

VERY IMPORTANT!!!

- BEFORE playing the pad, you must tension the head. See Page 4.
- Trigger type and trigger parameters in the sound module must be adjusted. See Page 5.
- Adjust the Rim Sensitivity in the sound module. See page 5.



Copyright © 2006 ROLAND CORPORATION All rights reserved. No part of this publication may be reproduced in any form without the written permission of ROLAND CORPORATION.



USING THE UNIT SAFELY

INSTRUCTIONS FOR THE PREVENTION OF FIRE, ELECTRIC SHOCK, OR INJURY TO PERSONS

About 🖄 WARNING and 🖄 CAUTION Notices


	Used for instructions intended to alert the user to the risk of death or severe injury should the unit be used improperly.
▲ CAUTION	Used for instructions intended to alert the user to the risk of injury or material damage should the unit be used improperly.
	* Material damage refers to damage or other adverse effects caused with respect to the home and all its furnishings, as well to domestic animals or pets.

About the Symbols

⚠	The Δ symbol alerts the user to important instructions or warnings. The specific meaning of the symbol is determined by the design contained within the triangle. In the case of the symbol at left, it is used for general cautions, warnings, or alerts to danger.
B	The \bigcirc symbol alerts the user to items that must never be carried out (are forbidden). The specific thing that must not be done is indicated by the design contained within the circle. In the case of the symbol at left, it means that the unit must never be disassembled.
6	The \bullet symbol alerts the user to things that must be carried out. The specific thing that must be done is indicated by the design contained within the circle. In the case of the symbol at left, it means that the power-cord plug must be unplugged from the outlet.

ALWAYS OBSERVE THE FOLLOWING

- Before using this unit, make sure to read the instructions below, and the Owner's Manual.
-
- Do not open or perform any internal modifications on the unit. (The only exception would be where this manual provides specific instructions which should be followed in order to put in place user-installable options; see p. 7.)



- Never use or store the unit in places that are:
 - Subject to temperature extremes (e.g., direct sunlight in an enclosed vehicle, near a heating duct, on top of heat-generating equipment); or are

.....



- Damp (e.g., baths, washrooms, on wet floors); or are
- Humid; or are
- Exposed to rain; or are
- Dusty; or are
- Subject to high levels of vibration.
- This unit should be used only with a stand (MDS series) that is recommended by Roland (p. 7).



- When using the unit with a stand (MDS series) recommended by Roland, the stand must be carefully placed so it is level and sure to remain stable. If not using a stand, you still need to make sure that any location you choose for placing the unit provides a level surface that will properly support the unit, and keep it from wobbling.
- Do not allow any objects (e.g., flammable material, coins, pins); or liquids of any kind (water, soft drinks, etc.) to penetrate the unit.
- \bigcirc
- In households with small children, an adult should provide supervision until the child is capable of following all the rules essential for the safe operation of the unit.



 Protect the unit from strong impact. (Do not drop it!)



A CAUTION

- Try to prevent cords and cables from becoming entangled. Also, all cords and cables should be placed so they are out of the reach of children.
- Never climb on top of, nor place heavy objects on the unit.




⚠ CAUTION


 Should you remove screws, keep them in a safe place out of children's reach, so there is no chance of them being swallowed accidentally.



• Do NOT place your fingers inside the shell, as you may hurt yourself or cause damage to the PDX-8. Or when changing the head, do NOT touch any of the internal parts. Also, do not insert your fingers into the hole of the mounting bracket.









IMPORTANT NOTES

In addition to the items listed under "USING THE UNIT SAFELY" on page 2–3, please read and observe the following:

Placement

- Do not expose the unit to direct sunlight, place it near devices that radiate heat, leave it inside an enclosed vehicle, or otherwise subject it to temperature extremes. Excessive heat can deform or discolor the unit.
- Do not allow rubber, vinyl, or similar materials to remain on the unit for long periods of time. Such objects can discolor or otherwise harmfully affect the finish.

Maintenance

- For everyday cleaning wipe the unit with a soft, dry cloth or one that has been slightly dampened with water. To remove stubborn dirt, use a cloth impregnated with a mild, non-abrasive detergent. Afterwards, be sure to wipe the unit thoroughly with a soft, dry cloth.
- Never use benzine, thinners, alcohol or solvents of any kind, to avoid the possibility of discoloration and/or deformation.

Additional Precautions

- Use a reasonable amount of care when using the unit's buttons, sliders, or other controls; and when using its jacks and connectors. Rough handling can lead to malfunctions.
- When connecting / disconnecting all cables, grasp the connector itself—never pull on the cable. This way you will avoid causing shorts, or damage to the cable's internal elements.
- To avoid disturbing your neighbors, try to keep the unit's volume at reasonable levels. You may prefer to use headphones, so you do not need to be concerned about those around you (especially when it is late at night).
- This instrument is designed to minimize the extraneous sounds produced when it's played. However, since sound vibrations can be transmitted through floors and walls to a greater degree than expected, take care not to allow these sounds to become a nuisance to neighbors, especially when performing at night and when using headphones.
- Due to the nature of the materials used in the sensor, changes in room temperature may affect the sensitivity of the sensor.

Main Feature

The PDX-8's light weight and compact design allows for comfortable performance and quiet response, even when playing rim shots.

Adjusting the Head Tension

Before using the pad, tighten the head so that the tension is rather firm.


Looseness in the head tension may result in problems such as failure of the PDX-8's rim shots to sound or double triggering.



Striking the head when the head tension is loose may damage the sensor.


1. Use the included tuning key to tighten the tuning bolts.

Strike the head to check the feel and response.



NOTE

Tighten each tuning bolt one by one, observing the numerical order shown in the diagram. Do not firmly tighten a single tuning bolt by itself. Doing so will make it impossible to tension the head evenly, and will cause malfunctions.



2. Fine-tune the adjustment while continuing to check the pad feel and response.

MEMO


- On the PDX-8, adjusting the head tension affects only the head response, and does not change the pitch of the sound as it would on an acoustic drum.
- Head tension may slacken with the passage of time. Readjust the tension as needed.

Attaching the Pad to a Stand

Attach the PDX-8 to a pad mount of the stand (MDS series).



Be sure to tighten the stand fixing screw securely. If it remain loose, double triggering may occur.



MEMO

When attaching the PDX-8 to a tom stand, check the dimensions of the rod. Depending on the dimensions of the rod, it may not be possible to attach the pad to the stand.

Acceptable rod diameters: 9–11.5 mm (3/8 to 1/2 inch)

Connecting To A Percussion Sound Module

Use the included stereo cable to make connections.

- If you use a monaural cable, you won't be able to employ rim shot and cross stick playing techniques.
- Connect the L-shaped plug of the included cable to the PDX-8.
- * To prevent malfunction and/or damage to speakers or other devices, always turn down the volume, and turn off the power on all devices before making any connections.

Trigger Settings For Percussion Sound Module

Set the trigger type and trigger parameters for the percussion sound module you are using.

Be sure to make these settings to ensure that the PDX-8 performs properly.

Below you will find the settings recommended for different percussion sound modules.

For instructions on setting the trigger parameters, refer to the Owner's Manual for your percussion sound module.

* Leave the initial Cross Stick Cancel settings for each module unchanged.

About the Head Tension

Tighten the head so that the tension is rather firm.

Looseness in the head tension may result in problems such as failure of the PDX-8's rim shots to sound or double triggering.

About Rim Sens (*1)

If any of the following problems occurs, adjust Rim Sens to a value in the range indicated in the column for the corresponding percussion sound module.

- If the rim sound plays even when you strike the head, lower the Rim Sens value.
- If no rim sound plays even when the rim is struck forcefully, increase the Rim Sens value.

* When using the TD-12 and TD-20, adjust the "RimShot Adjust."

TD-3 (Percussion Sound Module)

IMPORTANT: Only the snare input is capable of producing a rim shot.

Trigger Type (눈님P)	80r
Scan Time (与⊏ ∩)	1.0
Mask Time (7756)	8
Rim Sensitivity (- 775)	10 (*1)
Rim Gain (┌ ♫ն)	1.1

TD-6V (Percussion Sound Module)

IMPORTANT: Only the 2(snare) input is capable of producing a rim shot.

TrigTyp	PD-80R
Mask Time	8ms
Rim Sens	11 (*1)

TD-12/TD-20 (Percussion Sound Module)

IMPORTANT: Only the inputs listed below are capable of producing a rim shot.

TD-12: 2 (SNARE), 3–5 (TOM1–3), 11–12 (AUX1–2) **TD-20**: 2 (SNARE), 3–6 (TOM1–4), 12–15 (AUX1–4)

Trig Type	PD80R or PD85	
Sensitivity	7	
RimShot Adjust	1.8 (*	1)

Setting when connecting with trigger input 2(SNARE)

The PDX-8 does not support the TD-12's and TD-20's positional sensing. Set the TD-12/TD-20 so that strike position sensing is not activated. Set Snare CC to "OFF."

(press [SETUP], then [F1 (MIDI)], then [F3 (CTRL)])

Playing Methods

Head Shots




* Do not strike the hoop.

Rim Shots




* To play rim shots, strike the rim in the area shown in the diagram.



Cross Stick

Only strike the rim of the pad.

Depending on the instrument assigned to the rim, you can play rim shots and/or cross stick sounds.



- * To play the cross stick, be sure that you only strike the rim of the pad. Placing your hand on the head of the pad might prevent the cross stick sound from being played properly.
- * For more on settings and instruments, see the respective module's owner's manual.

Head Replacement

When the Head Should Be Replaced


The head is an expendable item that eventually will wear out and need to be replaced. Replace the head when the following occurs:

Slack portions remain in the head even when the head tension is properly adjusted.

Replacement heads (optional): MH-8 Mesh Head

Replacing the Head

1. Remove all tuning bolts from the PDX-8.





Do not apply excessive force to the sensor and cushion located under the head. Doing so can interfere with accurate detection, and may damage it.

- 2. Remove the hoop.
- 3. Remove the old head.
- 4. Place the new head on the shell.
- 5. Place the hoop onto the head.

- 6. Attach the tuning bolts to the hoop and shell.
- 7. Next, adjust the tension of the head. Refer to "Adjusting the Head Tension" (p. 4).

NOTE

Do not firmly tighten a single tuning bolt by itself. Doing so will make it impossible to tension the head evenly, and will cause malfunctions.

Specifications

PDX-8

Head Size:	8 inches
Triggers:	2 (Head, Rim)
Dimensions:	266 (W) x 326 (D) x 62 (H) mm
	10-1/2 (W) x 12-7/8 (D) x 2-1/2 (H)
	inches
Weight:	1.3 kg
	2 lbs 14 oz
Accessories:	Owner's Manual, Connection Cable,
	Tuning Key
Options:	Mesh Head (MH-8),
	Pad Mount (MDH-10U),
	Drum Stands (MDS-3C, MDS-6C,
	MDS-12, MDS-20)

- * In the interest of product improvement, the specifications and/ or appearance of this unit are subject to change without prior notice.
- * The Rim rubber is one component that eventually wears out (the more so if numerous rim shots are performed), and will require replacement. Rim shots may not be performed correctly when the rim rubber is worn out. If this occurs, replace the rim rubber. Consult Roland Service for more on replacing the rim rubber.

Information

AFRICA

EGYPT

Al Fanny Trading Office 9, EBN Hagar A1 Askalany Street, ARD E1 Golf, Heliopolis, Cairo 11341, EGYPT TEL: 20-2-417-1828

REUNION

Maison FO - YAM Marcel 25 Rue Jules Hermann, Chaudron - BP79 97 491 Ste Clotilde Cedex, REUNION ISLAND TEL: (0262) 218-429

SOUTH AFRICA T.O.M.S. Sound & Music (Pty)Ltd. 11 Melle St., Braamfontein.

Johannesbourg, SOUTH AFRICA TEL: (011) 403 4105 FAX: (011) 403 1234

Paul Bothner(PTY)Ltd. Royal Cape Park, Unit 24 Londonderry Road, Ottery 7800 Cape Town, SOUTH AFRICA TEL: (021) 799 4900

(ASIA)

CHINA Roland Shanghai Electronics Co.,Ltd. 5F. No.1500 Pingliang Road Shanghai 200090, CHINA TEL: (021) 5580-0800

Roland Shanghai Electronics Co.,Ltd. (BEIJING OFFICE)

(belging office) 10F. No.18 3 Section Anhuaxili Chaoyang District Beijing 100011 CHINA TEL: (010) 6426-5050

HONG KONG

Tom Lee Music Co., Ltd. Service Division 22-32 Pun Shan Street, Tsuen Wan, New Territories, HONG KONG TEL: 2415 0911

Parsons Music Ltd. 8th Floor, Railway Plaza, 39 Chatham Road South, T.S.T, Kowloon, HONG KONG TEL: 2333 1863

INDIA

Rivera Digitec (India) Pvt. Ltd. 409, Nirman Kendra Mahalaxmi Flats Compound Off. Dr. Edwin Moses Road, Mumbai-400011, INDIA TEL: (022) 2493 9051

INDONESIA

PT Citra IntiRama J1. Cideng Timur No. 15J-150 Jakarta Pusat INDONESIA TEL: (021) 6324170

KOREA

Cosmos Corporation 1461-9, Seocho-Dong, Seocho Ku, Seoul, KOREA TEL: (02) 3486-8855

MALAYSIA

Roland Asia Pacific Sdn. Bhd. 45-1, Block C2, Jalan PJU 1/39, Dataran Prima, 47301 Petaling Jaya, Selangor, MALAYSIA TEL: (03) 7805-3263

PHILIPPINES

G.A. Yupangco & Co. Inc. 339 Gil J. Puyat Avenue Makati, Metro Manila 1200, PHILIPPINES TEL: (02) 899 9801

SINGAPORE SWEE LEE MUSIC

distributor in your country as shown below.

Musicales

TEL: 258-0211

CURACAO

TEL (305)5926866

Ens.La Esperilla Santo Domingo, Dominican Republic

TEL:(809) 683 0305

Mas Musika Rumichaca 822 y Zaruma

75 Avenida Norte y Final Alameda Juan Pablo II,

Edificio No.4010 San Salvador,

Calzada Roosevelt 34-01, zona 11

Almacen Pajaro Azul S.A. de C.V.

San Pedro Sula, Honduras

Guayaquil - Ecuador

TEL:(593-4)2302364

EL SALVADOR

OMNI MUSIC

EL SALVADOR

GUATEMALA

Casa Instrumental

Guatemala TEL:(502) 599-2888

HONDURAS

BO.Paz Barahona 3 Ave.11 Calle S.O

TEL: (504) 553-2029

MARTINIQUE

97232 Le Lamantin

Martinique F.W.I. TEL: 596 596 426860

Gigamusic SARL

10 Rte De La Folie

97200 Fort De France

Martinique F.W.I. TEL: 596 596 715222

D.F. MEXICO TEL: (55) 5668-6699

NICARAGUA

Casa Veerkamp, s.a. de c.v. Av. Toluca No. 323, Col. Olivar

de los Padres 01780 Mexico

Bansbach Instrumentos

1 Cuadra al Lago.#503

Managua, Nicaragua TEL: (505)277-2557

SUPRO MUNDIAL, S.A.

Instrumentos Musicales J.E. Olear y ESQ. Manduvira

Asuncion PARAGUAY

TEL: (595) 21 492147

Albrook,

Boulevard Andrews, A Panama City, REP. DE

ΡΔΝΔΜΔ

PANAMA

PERU

TEL: 315-0101

PARAGUAY

Distribuidora De

Musicales Nicaragua Altamira D'Este Calle Principal de la Farmacia 5ta.Avenida

MEXICO

Musique & Son

Z.I.Les Mangle

Ciudad de Guatemala

TEL: 262-0788

ECUADOR

COSTA RICA

JUAN Bansbach Instrumentos

Ave.1. Calle 11, Apartado 10237,

Zeelandia Music Center Inc.

Orionweg 30 Curacao, Netherland Antilles

DOMINICAN REPUBLIC

Instrumentos Fernando Giraldez

Calle Proyecto Central No.3

San Jose, COSTA RICA

COMPANY PTE. LTD. 150 Sims Drive, SINGAPORE 387381 TEL: 6846-3676

SRI LANKA Penguin Electronics (Pvt) Ltd. 115, Maya Avenue, Colombo 06, SRI LANKA TEL: (11) 2552376

TAIWAN ROLAND TAIWAN

ENTERPRISE CO., LTD. Room 5, 9fl. No. 112 Chung Shan N.Road Sec.2, Taipei, TAIWAN, R.O.C. TEL: (02) 2561 3339 THAILAND

THAILAND Theera Music Co., Ltd. 330 Soi Verng NakornKasem, New Road, Sumpantawongse, Bangkok 10100, THAILAND TEL: (02) 224-8821

VIETNAM SAIGON MUSIC DISTRIBUTOR (TAN DINH MUSIC) 138 Tran Quang Khai Street Dist. 1, Ho Chi Minh City VIETNAM TEL: (08) 848-4068

AUSTRALIA/ NEW ZEALAND

AUSTRALIA/ NEW ZEALAND Roland Corporation Australia Pty.,Ltd. 38 Campbell Avenue Dee Why West. NSW 2099 AUSTRALIA

For Australia Tel: (02) 9982 8266 For New Zealand Tel: (09) 3098 715

CENTRAL/LATIN AMERICA

ARGENTINA Instrumentos Musicales S.A. Av.Santa Fe 2055 (1123) Buenos Aires ARGENTINA TEL: (011) 4508-2700

BARBADOS A&B Music Supplies LTD 12 Webster Industrial Park Wildey, St.Michael, Barbados TEL: (246)430-1100

BRAZIL Roland Brasil Ltda. Rua San Jose, 780 Sala B Parque Industrial San Jose

Cotia - Sao Paulo - SP, BRAZIL TEL: (011) 4615 5666

Comercial Fancy II S.A.

Rut: 96.919.420-1 Nataniel Cox #739, 4th Floor Santiago - Centro, CHILE TEL: (02) 688-9540

COLOMBIA Centro Musical Ltda. Cra 43 B No 25 A 41 Bododega 9 Medellin, Colombia TEL: (574)3812529

Audionet Distribuciones Musicales SAC Juan Fanning 530 Miraflores Lima - Peru TEL: (511) 4461388 **TRINIDAD** AMR Ltd Ground Floor Maritime Plaza Barataria Trinidad W.I.

TEL: (868) 638 6385

When you need repair service, call your nearest Roland Service Center or authorized Roland

URUGUAY Todo Musica S.A. Francisco Acuna de Figueroa 1771 C.P.: 11.800 Montevideo, URUGUAY TEL: (02) 924-2335

VENEZUELA Instrumentos Musicales Allegro,C.A. Av.las industrias edf.Guitar import #7 zona Industrial de Turumo Caracas, Venezuela TEL: (212) 244-1122



AUSTRIA Roland Elektronische Musikinstrumente HmbH. Austrian Office Eduard-Bodem-Gasse 8, A-6020 Innsbruck, AUSTRIA TEL: (0512) 26 44 260

BELGIUM/FRANCE/ HOLLAND/ LUXEMBOURG Roland Central Europe N.V. Houtstraat 3, B-2260, Oevel (Westerlo) BELGIUM

TEL: (014) 575811 **CZECH REP. K-AUDIO** Kardasovska 626. CZ-198 00 Praha 9, CZECH REP. TEL: (2) 666 10529

DENMARK Roland Scandinavia A/S Nordhavnsvej 7, Postbox 880, DK-2100 Copenhagen

DENMARK¹ TEL: 3916 6200 FINLAND Roland Scandinavia As, Filial Finland Elannontie 5 FIN-01510 Vantaa, FINLAND

TEL: (0)9 68 24 020 **GERMANY** Roland Elektronische Musikinstrumente HmbH. Oststrasse 96, 22844 Norderstedt, GERMANY

TEL: (040) 52 60090 GREECE/CYPRUS STOLLAS S.A. Music Sound Light

155, New National Road Patras 26442, GREECE TEL: 2610 435400 HUNGARY Roland East Europe Ltd. Warehouse Area 'DEPO' Pf.83 H-2046 Torokbalint, HUNGARY TEL: (23) 511011

IRELAND Roland Ireland G2 Calmount Park, Calmount Avenue, Dublin 12 Republic of IRELAND TEL: (01) 4294444

ITALY Roland Italy S. p. A. Viale delle Industrie 8, 20020 Arese, Milano, ITALY TEL: (02) 937-78300

NORWAY Roland Scandinavia Avd. Kontor Norge Lilleakerveien 2 Postboks 95 Lilleaker N-0216 Oslo NORWAY

TEL: 2273 0074 **POLAND** MX MUSIC SP.Z.O.O. UL. Gibraltarska 4. PL-03664 Warszawa POLAND TEL: (022) 679 44 19

PORTUGAL Roland Iberia, S.L. Portugal Office Cais das Pedras, 8/9-1 Dto 4050-465, Porto, PORTUGAL TEL: 22 608 00 60

ROMANIA FBS LINES Piata Libertatii 1, 535500 Gheorgheni, ROMANIA TEL: (266) 364 609

RUSSIA MuTek Dorozhnaya ul.3,korp.6 117 545 Moscow, RUSSIA TEL: (095) 981-4967

SPAIN Roland Iberia, S.L. Paseo García Faria, 33-35 08005 Barcelona SPAIN TEL: 93 493 91 00

SWEDEN Roland Scandinavia A/S SWEDISH SALES OFFICE Danvik Center 28,2 tr. S-131 30 Nacka SWEDEN TEL: (0)8 702 00 20

SWITZERLAND Roland (Switzerland) AG Landstrasse 5, Postfach, CH-4452 Itingen, SWITZERLAND TEL: (061) 927-8383

UKRAINE TIC-TAC Mira Str. 19/108 P.O. Box 180 295400 Munkachevo, UKRAINE TEL: (03131) 414-40

UNITED KINGDOM Roland (U.K.) Ltd. Atlantic Close, Swansea Enterprise Park, SWANSEA SA7 9FJ, UNITED KINGDOM TEL: (01792) 702701

MIDDLE EAST

BAHRAIN Moon Stores No.16, Bab Al Bahrain Avenue, P.O.Box 247, Manama 304, State of BAHRAIN TEL: 17 211 005

IRAN MOCO INC. No.41 Nike St, Dr.Shariyati Ave., Roberoye Cerahe Mirdamad Tehran, IRAN TEL: (021) 285-4169

ISRAEL Halilit P. Greenspoon & Sons Ltd. 8 Retzif Ha'aliya Hashnya St. Tel-Aviv-Yafo ISRAEL TEL: (03) 6823666

JORDAN

MUSIC HOUSE CO. LTD. FREDDY FOR MUSIC P. O. Box 922846 Amman 11192 JORDAN TEL: (06) 5692696

KUWAIT

EASA HUSAIN AL-YOUSIFI & SONS CO. Abdullah Salem Street, Safat, KUWAIT TEL: 243-6399

LEBANON Chahine S.A.L.

TEL: (01) 20-1441

Gerge Zeidan St., Chahine Bldg., Achrafieh, P.O.Box: 16-5857 Beirut, LEBANON

OMAN TALENTZ CENTRE L.L.C. Malatan House No.1 Al Noor Street, Ruwi SULTANATE OF OMAN TEL: 2478 3443

QATAR Al Emadi Co. (Badie Studio & Stores) P.O. Box 62, Doha, QATAR TEL: 4423-554

SAUDI ARABIA aDawliah Universal Electronics APL Corniche Road, Aldossary Bldg., 1st Floor, Alkhobar, SAUDI ARABIA

P.O.Box 2154, Alkhobar 31952 SAUDI ARABIA TEL: (03) 898 2081

SYRIA Technical Light & Sound Center Rawda, Abdul Qader Jazairi St. Bldg. No. 21, P.O.BOX 13520, Damascus, SYRIA TEL: (011) 223-5384

TURKEY ZUHAL DIS TICARET A.S. Galip Dede Cad. No.37 Beyoglu - Istanbul / TURKEY TEL: (0212) 249 85 10

U.A.F. Zak Electronics & Musical Instruments Co. L.L.C. Zabeel Road, Al Sherooq Bldg,, No. 14, Grand Floor, Dubai, U.A.E. TEL: (04) 3360715

NORTH AMERICA

CANADA

Roland Canada Ltd. (Head Office) 5480 Parkwood Way Richmond B. C., V6V 2M4 CANADA TEL: (604) 270 6626

Roland Canada Ltd. (Toronto Office) 170 Admiral Boulevard Mississauga On L5T 2N6 CANADA TEL: (905) 362 9707

U. S. A. Roland Corporation U.S. 5100 S. Eastern Avenue Los Angeles, CA 90040-2938, U. S. A. TEL: (323) 890 3700



As of April 1, 2006 (ROLAND)

This product must be disposed of separately at your local waste recycling centre. Do not dispose of in household waste bin.